

ネボン株式会社

【ハウスホールド 11, 15, 20型シリーズ】

2015年度 (平成 27年度) 熱効率率/燃料消費量 経年変化一覽表

製造年度別 経年変化による現在の熱効率率および燃料消費量

製品 シリーズ	製造 開始年	製造 終了年	製品型式	熱出力		燃料 消費量 (l/h)	熱効率	燃料	標準暖房 面積 (a)	備考	製造年度別 経年変化による現在の熱効率率および燃料消費量																	
				(kcal/h)	(kW)						1987		1988		1989		1990		1991		1992		1993		1994		1995	
											%	(l/h)	%	(l/h)	%	(l/h)	%	(l/h)	%	(l/h)	%	(l/h)	%	(l/h)	%	(l/h)	%	(l/h)
11型・ 15型・ 20型	1987 (S62)	1995 (H7)	HK1520SC	38,000	44.2	4.8	90.0%	A重油	3.3~4.95		83.9%	5.2	84.1%	5.2	84.3%	5.1	84.5%	5.1	84.7%	5.1	85.0%	5.1	85.2%	5.1	85.4%	5.1	85.6%	5.1
			HK1520SE	38,000	44.2	4.8	90.0%	A重油	3.3~4.95		83.9%	5.2	84.1%	5.2	84.3%	5.1	84.5%	5.1	84.7%	5.1	85.0%	5.1	85.2%	5.1	85.4%	5.1	85.6%	5.1
			HK1520TC	38,000	44.2	4.8	90.0%	A重油	3.3~4.95		83.9%	5.2	84.1%	5.2	84.3%	5.1	84.5%	5.1	84.7%	5.1	85.0%	5.1	85.2%	5.1	85.4%	5.1	85.6%	5.1
			HK1520TE	38,000	44.2	4.8	90.0%	A重油	3.3~4.95		83.9%	5.2	84.1%	5.2	84.3%	5.1	84.5%	5.1	84.7%	5.1	85.0%	5.1	85.2%	5.1	85.4%	5.1	85.6%	5.1
			HK1520TCP	38,000	44.2	4.8	90.0%	A重油	3.3~4.95		83.9%	5.2	84.1%	5.2	84.3%	5.1	84.5%	5.1	84.7%	5.1	85.0%	5.1	85.2%	5.1	85.4%	5.1	85.6%	5.1
			HK1520TEP	38,000	44.2	4.8	90.0%	A重油	3.3~4.95		83.9%	5.2	84.1%	5.2	84.3%	5.1	84.5%	5.1	84.7%	5.1	85.0%	5.1	85.2%	5.1	85.4%	5.1	85.6%	5.1
			HK2020SC	50,000	58.1	6.4	90.0%	A重油	4.95~6.0		83.9%	6.8	84.1%	6.8	84.3%	6.8	84.5%	6.7	84.7%	6.7	85.0%	6.7	85.2%	6.7	85.4%	6.7	85.6%	6.7
			HK2020SE	50,000	58.1	6.4	90.0%	A重油	4.95~6.0		83.9%	6.8	84.1%	6.8	84.3%	6.8	84.5%	6.7	84.7%	6.7	85.0%	6.7	85.2%	6.7	85.4%	6.7	85.6%	6.7
			HK2020TC	50,000	58.1	6.4	90.0%	A重油	4.95~6.0		83.9%	6.8	84.1%	6.8	84.3%	6.8	84.5%	6.7	84.7%	6.7	85.0%	6.7	85.2%	6.7	85.4%	6.7	85.6%	6.7
			HK2020TE	50,000	58.1	6.4	90.0%	A重油	4.95~6.0		83.9%	6.8	84.1%	6.8	84.3%	6.8	84.5%	6.7	84.7%	6.7	85.0%	6.7	85.2%	6.7	85.4%	6.7	85.6%	6.7
			HK2020TEP	50,000	58.1	6.4	90.0%	A重油	4.95~6.0		83.9%	6.8	84.1%	6.8	84.3%	6.8	84.5%	6.7	84.7%	6.7	85.0%	6.7	85.2%	6.7	85.4%	6.7	85.6%	6.7
			HK2020TGP	50,000	58.1	6.4	90.0%	A重油	4.95~6.0	静音形	83.9%	6.8	84.1%	6.8	84.3%	6.8	84.5%	6.7	84.7%	6.7	85.0%	6.7	85.2%	6.7	85.4%	6.7	85.6%	6.7
			HK2020TGS	50,000	58.1	6.4	90.0%	A重油	4.95~6.0	静音形	83.9%	6.8	84.1%	6.8	84.3%	6.8	84.5%	6.7	84.7%	6.7	85.0%	6.7	85.2%	6.7	85.4%	6.7	85.6%	6.7
			HK2020TES	50,000	58.1	6.4	90.0%	A重油	4.95~6.0	静音形	83.9%	6.8	84.1%	6.8	84.3%	6.8	84.5%	6.7	84.7%	6.7	85.0%	6.7	85.2%	6.7	85.4%	6.7	85.6%	6.7
			HK3015TC	75,000	87.2	9.5	90.0%	A重油	6.6~9.9		83.9%	10.2	84.1%	10.2	84.3%	10.1	84.5%	10.1	84.7%	10.1	85.0%	10.1	85.2%	10.0	85.4%	10.0	85.6%	10.0
			HK3015TE	75,000	87.2	9.5	90.0%	A重油	6.6~9.9		83.9%	10.2	84.1%	10.2	84.3%	10.1	84.5%	10.1	84.7%	10.1	85.0%	10.1	85.2%	10.0	85.4%	10.0	85.6%	10.0
			HK3020SC	75,000	87.2	9.5	90.0%	A重油	6.6~9.9		83.9%	10.2	84.1%	10.2	84.3%	10.1	84.5%	10.1	84.7%	10.1	85.0%	10.1	85.2%	10.0	85.4%	10.0	85.6%	10.0
			HK3020SE	75,000	87.2	9.5	90.0%	A重油	6.6~9.9		83.9%	10.2	84.1%	10.2	84.3%	10.1	84.5%	10.1	84.7%	10.1	85.0%	10.1	85.2%	10.0	85.4%	10.0	85.6%	10.0
			HK3020TC	75,000	87.2	9.5	90.0%	A重油	6.6~9.9		83.9%	10.2	84.1%	10.2	84.3%	10.1	84.5%	10.1	84.7%	10.1	85.0%	10.1	85.2%	10.0	85.4%	10.0	85.6%	10.0
			HK3020TE	75,000	87.2	9.5	90.0%	A重油	6.6~9.9		83.9%	10.2	84.1%	10.2	84.3%	10.1	84.5%	10.1	84.7%	10.1	85.0%	10.1	85.2%	10.0	85.4%	10.0	85.6%	10.0
			HK3020TEP	75,000	87.2	9.5	90.0%	A重油	6.6~9.9		83.9%	10.2	84.1%	10.2	84.3%	10.1	84.5%	10.1	84.7%	10.1	85.0%	10.1	85.2%	10.0	85.4%	10.0	85.6%	10.0
			HK3020TGP	75,000	87.2	9.5	90.0%	A重油	6.6~9.9	静音形	83.9%	10.2	84.1%	10.2	84.3%	10.1	84.5%	10.1	84.7%	10.1	85.0%	10.1	85.2%	10.0	85.4%	10.0	85.6%	10.0
			HK3020TGS	75,000	87.2	9.5	90.0%	A重油	6.6~9.9	静音形	83.9%	10.2	84.1%	10.2	84.3%	10.1	84.5%	10.1	84.7%	10.1	85.0%	10.1	85.2%	10.0	85.4%	10.0	85.6%	10.0
			HK3020TFP	75,000	87.2	9.5	90.0%	A重油	6.6~9.9	静音形	83.9%	10.2	84.1%	10.2	84.3%	10.1	84.5%	10.1	84.7%	10.1	85.0%	10.1	85.2%	10.0	85.4%	10.0	85.6%	10.0
			HK3020TGS	75,000	87.2	9.5	90.0%	A重油	6.6~9.9	静音形	83.9%	10.2	84.1%	10.2	84.3%	10.1	84.5%	10.1	84.7%	10.1	85.0%	10.1	85.2%	10.0	85.4%	10.0	85.6%	10.0
			HK3020TES	75,000	87.2	9.5	90.0%	A重油	6.6~9.9	静音形	83.9%	10.2	84.1%	10.2	84.3%	10.1	84.5%	10.1	84.7%	10.1	85.0%	10.1	85.2%	10.0	85.4%	10.0	85.6%	10.0
			HK3020TFS	75,000	87.2	9.5	90.0%	A重油	6.6~9.9	静音形	83.9%	10.2	84.1%	10.2	84.3%	10.1	84.5%	10.1	84.7%	10.1	85.0%	10.1	85.2%	10.0	85.4%	10.0	85.6%	10.0
			HK3020TGD	75,000	87.2	9.5	90.0%	A重油	6.6~9.9	デラック形	83.9%	10.2	84.1%	10.2	84.3%	10.1	84.5%	10.1	84.7%	10.1	85.0%	10.1	85.2%	10.0	85.4%	10.0	85.6%	10.0
			HK3020TED	75,000	87.2	9.5	90.0%	A重油	6.6~9.9	デラック形	83.9%	10.2	84.1%	10.2	84.3%	10.1	84.5%	10.1	84.7%	10.1	85.0%	10.1	85.2%	10.0	85.4%	10.0	85.6%	10.0
			HK3020TFD	75,000	87.2	9.5	90.0%	A重油	6.6~9.9	デラック形	83.9%	10.2	84.1%	10.2	84.3%	10.1	84.5%	10.1	84.7%	10.1	85.0%	10.1	85.2%	10.0	85.4%	10.0	85.6%	10.0
			HK3011TCE	75,000	87.2	9.5	90.0%	A重油	6.6~9.9		83.9%	10.2	84.1%	10.2	84.3%	10.1	84.5%	10.1	84.7%	10.1	85.0%	10.1	85.2%	10.0	85.4%	10.0	85.6%	10.0
			HK4015TC	87,000	101	11.0	90.0%	A重油	9.9~13.2		83.9%	11.8	84.1%	11.8	84.3%	11.8	84.5%	11.7	84.7%	11.7	85.0%	11.7	85.2%	11.6	85.4%	11.6	85.6%	11.6
			HK4015TE	87,000	101	11.0	90.0%	A重油	9.9~13.2		83.9%	11.8	84.1%	11.8	84.3%	11.8	84.5%	11.7	84.7%	11.7	85.0%	11.7	85.2%	11.6	85.4%	11.6	85.6%	11.6
			HK4020TC	87,000	101	11.0	90.0%	A重油	9.9~13.2		83.9%	11.8	84.1%	11.8	84.3%	11.8	84.5%	11.7	84.7%	11.7	85.0%	11.7	85.2%	11.6	85.4%	11.6	85.6%	11.6
			HK4020TE	87,000	101	11.0	90.0%	A重油	9.9~13.2		83.9%	11.8	84.1%	11.8	84.3%	11.8	84.5%	11.7	84.7%	11.7	85.0%	11.7	85.2%	11.6	85.4%	11.6	85.6%	11.6
			HK4020TEP	87,000	101	11.0	90.0%	A重油	9.9~13.2		83.9%	11.8	84.1%	11.8	84.3%	11.8	84.5%	11.7	84.7%	11.7	85.0%	11.7	85.2%	11.6	85.4%	11.6	85.6%	11.6
			HK4020TGP	87,000	101	11.0	90.0%	A重油	9.9~13.2	静音形	83.9%	11.8	84.1%	11.8	84.3%	11.8	84.5%	11.7	84.7%	11.7	85.0%	11.7	85.2%	11.6	85.4%	11.6	85.6%	11.6
			HK4020TEP	87,000	101	11.0	90.0%	A重油	9.9~13.2	静音形	83.9%	11.8	84.1%	11.8	84.3%	11.8	84.5%	11.7	84.7%	11.7	85.0%	11.7	85.2%	11.6	85.4%	11.6	85.6%	11.6
			HK4020TFP	87,000	101	11.0	90.0%	A重油	9.9~13.2	静音形	83.9%	11.8	84.1%	11.8	84.3%	11.8	84.5%	11.7	84.7%	11.7	85.0%	11.7	85.2%	11.6	85.4%	11.6	85.6%	11.6
			HK4020TGS	87,000	101	11.0	90.0%	A重油	9.9~13.2	静音形	83.9%	11.8	84.1%	11.8	84.3%	11.8	84.5%	11.7	84.7%	11.7	85.0%	11.7	85.2%	11.6	85.4%	11.6	85.6%	11.6
HK4020TES	87,000	101	11.0	90.0%	A重油	9.9~13.2	静音形	83.9%	11.8	84.1%	11.8	84.3%	11.8	84.5%	11.7	84.7%	11.7	85.0%	11.7	85.2%	11.6	85.4%	11.6	85.6%	11.6			
HK4020TFS	87,000	101	11.0	90.0%	A重油	9.9~13.2	静音形	83.9%	11.8	84.1%	11.8	84.3%	11.8	84.5%	11.7	84.7%	11.7	85.0%	11.7	85.2%	11.6	85.4%	11.6	85.6%	11.6			
HK4020TGD	87,000	101	11.0	90.0%	A重油	9.9~13.2	デラック形	83.9%	11.8	84.1%	11.8	84.3%	11.8	84.5%	11.7	84.7%	11.7	85.0%	11.7	85.2%	11.6	85.4%	11.6	85.6%	11.6			
HK4020TED	87,000	101	11.0	90.0%	A重油	9.9~13.2	デラック形	83.9%	11.8	84.1%	11.8	84.3%	11.8	84.5%	11.7	84.7%	11.7	85.0%	11.7	85.2%	11.6	85.4%	11.6	85.6%	11.6			
HK4020TFD	87,000	101	11.0	90.0%	A重油	9.9~13.2	デラック形	83.9%	11.8	84.1%	11.8	84.3%	11.8	84.5%	11.7	84.7%	11.7	85.0%	11.7	85.2%	11.6	85.4%	11.6	85.6%	11.6			
HK4011TCE	87,000	101	11.0	90.0%	A重油	9.9~13.2		83.9%	11.8	84.1%	11.8	84.3%	11.8	84.5%	11.7	84.7%	11.7	85.0%	11.7	85.2%	11.6	85.4%	11.6	85.6%	11.6			
HK5015TC	125,000	145	15.8	90.0%	A重油	13.2~16.5		83.9%	17.0	84.1%	16.9	84.3%	16.9	84.5%	16.9	84.7%	16.8	85.0%	16.8	85.2%	16.7	85.4%	16.7	85.6%	16.6			
HK5020TC	125,000	145	15.8	90.0%	A重油	13.2~16.5		83.9%	17.0	84.1%	16.9	84.3%	16.9	84.5%	16.9	84.7%	16.8	85.0%	16.8	85.2%	16.7	85.4%	16.7	85.6%	16.6			
HK5020TGP	125,000	145	15.8	90.0%	A重油	13.2~16.5	静音形	83.9%	17.0	84.1%	16.9	84.3%	16.9	84.5%	16.													